

Assembly Bill No. 903

Passed the Assembly September 13, 2003

Chief Clerk of the Assembly

Passed the Senate September 9, 2003

Secretary of the Senate

This bill was received by the Governor this _____ day of
_____, 2003, at _____ o'clock __M.

Private Secretary of the Governor



CHAPTER _____

An act to amend Sections 896, 911, 912, 916, 936, 938, 941, and 945.5 of, and to amend, renumber, and add Section 942 to, the Civil Code, relating to construction defects.

LEGISLATIVE COUNSEL'S DIGEST

AB 903, Steinberg. Construction defect cases.

Existing law specifies the rights and requirements of a homeowner to bring an action for construction defects.

This bill would revise and recast various provisions governing home construction defect actions. The bill would, among other things, revise the definition of builder and would specify the application of certain provisions to general contractors. The bill would make technical changes relating to a builder's election to inspect and the application of certain affirmative defenses, and would recast provisions relating to the applicable statute of limitations, and the exclusivity of these provisions. The bill would specify that the provisions governing home construction defect actions apply to new residential units where the purchase agreement was signed by the seller on and after January 1, 2003. The bill would also make a statement of legislative intent regarding a specified study.

The people of the State of California do enact as follows:

SECTION 1. Section 896 of the Civil Code is amended to read:

896. In any action seeking recovery of damages arising out of, or related to deficiencies in, the residential construction, design, specifications, surveying, planning, supervision, testing, or observation of construction, a builder, and to the extent set forth in Chapter 4 (commencing with Section 910), a general contractor, subcontractor, material supplier, individual product manufacturer, or design professional, shall, except as specifically set forth in this title, be liable for, and the claimant's claims or causes of action shall be limited to violation of, the following standards, except as specifically set forth in this title. This title applies to original construction intended to be sold as an individual dwelling unit. As



to condominium conversions, this title does not apply to or does not supersede any other statutory or common law.

(a) With respect to water issues:

(1) A door shall not allow unintended water to pass beyond, around, or through the door or its designed or actual moisture barriers, if any.

(2) Windows, patio doors, deck doors, and their systems shall not allow water to pass beyond, around, or through the window, patio door, or deck door or its designed or actual moisture barriers, including, without limitation, internal barriers within the systems themselves. For purposes of this paragraph, “systems” include, without limitation, windows, window assemblies, framing, substrate, flashings, and trim, if any.

(3) Windows, patio doors, deck doors, and their systems shall not allow excessive condensation to enter the structure and cause damage to another component. For purposes of this paragraph, “systems” include, without limitation, windows, window assemblies, framing, substrate, flashings, and trim, if any.

(4) Roofs, roofing systems, chimney caps, and ventilation components shall not allow water to enter the structure or to pass beyond, around, or through the designed or actual moisture barriers, including, without limitation, internal barriers located within the systems themselves. For purposes of this paragraph, “systems” include, without limitation, framing, substrate, and sheathing, if any.

(5) Decks, deck systems, balconies, balcony systems, exterior stairs, and stair systems shall not allow water to pass into the adjacent structure. For purposes of this paragraph, “systems” include, without limitation, framing, substrate, flashing, and sheathing, if any.

(6) Decks, deck systems, balconies, balcony systems, exterior stairs, and stair systems shall not allow unintended water to pass within the systems themselves and cause damage to the systems. For purposes of this paragraph, “systems” include, without limitation, framing, substrate, flashing, and sheathing, if any.

(7) Foundation systems and slabs shall not allow water or vapor to enter into the structure so as to cause damage to another building component.



(8) Foundation systems and slabs shall not allow water or vapor to enter into the structure so as to limit the installation of the type of flooring materials typically used for the particular application.

(9) Hardscape, including paths and patios, irrigation systems, landscaping systems, and drainage systems, that are installed as part of the original construction, shall not be installed in such a way as to cause water or soil erosion to enter into or come in contact with the structure so as to cause damage to another building component.

(10) Stucco, exterior siding, exterior walls, including, without limitation, exterior framing, and other exterior wall finishes and fixtures and the systems of those components and fixtures, including, but not limited to, pot shelves, horizontal surfaces, columns, and plant-ons, shall be installed in such a way so as not to allow unintended water to pass into the structure or to pass beyond, around, or through the designed or actual moisture barriers of the system, including any internal barriers located within the system itself. For purposes of this paragraph, “systems” include, without limitation, framing, substrate, flashings, trim, wall assemblies, and internal wall cavities, if any.

(11) Stucco, exterior siding, and exterior walls shall not allow excessive condensation to enter the structure and cause damage to another component. For purposes of this paragraph, “systems” include, without limitation, framing, substrate, flashings, trim, wall assemblies, and internal wall cavities, if any.

(12) Retaining and site walls and their associated drainage systems shall not allow unintended water to pass beyond, around, or through its designed or actual moisture barriers including, without limitation, any internal barriers, so as to cause damage. This standard does not apply to those portions of any wall or drainage system that are designed to have water flow beyond, around, or through them.

(13) Retaining walls and site walls, and their associated drainage systems, shall only allow water to flow beyond, around, or through the areas designated by design.

(14) The lines and components of the plumbing system, sewer system, and utility systems shall not leak.

(15) Plumbing lines, sewer lines, and utility lines shall not corrode so as to impede the useful life of the systems.



(16) Sewer systems shall be installed in such a way as to allow the designated amount of sewage to flow through the system.

(17) Shower and bath enclosures shall not leak water into the interior of walls, flooring systems, or the interior of other components.

(18) Ceramic tile and tile countertops shall not allow water into the interior of walls, flooring systems, or other components so as to cause damage.

(b) With respect to structural issues:

(1) Foundations, load bearing components, and slabs, shall not contain significant cracks or significant vertical displacement.

(2) Foundations, load bearing components, and slabs shall not cause the structure, in whole or in part, to be structurally unsafe.

(3) Foundations, load bearing components, and slabs, and underlying soils shall be constructed so as to materially comply with the design criteria set by applicable government building codes, regulations, and ordinances for chemical deterioration or corrosion resistance in effect at the time of original construction.

(4) A structure shall be constructed so as to materially comply with the design criteria for earthquake and wind load resistance, as set forth in the applicable government building codes, regulations, and ordinances in effect at the time of original construction.

(c) With respect to soil issues:

(1) Soils and engineered retaining walls shall not cause, in whole or in part, damage to the structure built upon the soil or engineered retaining wall.

(2) Soils and engineered retaining walls shall not cause, in whole or in part, the structure to be structurally unsafe.

(3) Soils shall not cause, in whole or in part, the land upon which no structure is built to become unusable for the purpose represented at the time of original sale by the builder or for the purpose for which that land is commonly used.

(d) With respect to fire protection issues:

(1) A structure shall be constructed so as to materially comply with the design criteria of the applicable government building codes, regulations, and ordinances for fire protection of the occupants in effect at the time of the original construction.

(2) Fireplaces, chimneys, chimney structures, and chimney termination caps shall be constructed and installed in such a way



so as not to cause an unreasonable risk of fire outside the fireplace enclosure or chimney.

(3) Electrical and mechanical systems shall be constructed and installed in such a way so as not to cause an unreasonable risk of fire.

(e) With respect to plumbing and sewer issues:

Plumbing and sewer systems shall be installed to operate properly and shall not materially impair the use of the structure by its inhabitants. However, no action may be brought for a violation of this subdivision more than four years after close of escrow.

(f) With respect to electrical system issues:

Electrical systems shall operate properly and shall not materially impair the use of the structure by its inhabitants. However, no action shall be brought pursuant to this subdivision more than four years from close of escrow.

(g) With respect to issues regarding other areas of construction:

(1) Exterior pathways, driveways, hardscape, sidewalks, sidewalks, and patios installed by the original builder shall not contain cracks that display significant vertical displacement or that are excessive. However, no action shall be brought upon a violation of this paragraph more than four years from close of escrow.

(2) Stucco, exterior siding, and other exterior wall finishes and fixtures, including, but not limited to, pot shelves, horizontal surfaces, columns, and plant-ons, shall not contain significant cracks or separations.

(3) (A) To the extent not otherwise covered by these standards, manufactured products, including, but not limited to, windows, doors, roofs, plumbing products and fixtures, fireplaces, electrical fixtures, HVAC units, countertops, cabinets, paint, and appliances shall be installed so as not to interfere with the products' useful life, if any.

(B) For purposes of this paragraph, "useful life" means a representation of how long a product is warranted or represented, through its limited warranty or any written representations, to last by its manufacturer, including recommended or required maintenance. If there is no representation by a manufacturer, a builder shall install manufactured products so as not to interfere with the product's utility.



(C) For purposes of this paragraph, “manufactured product” means a product that is completely manufactured offsite.

(D) If no useful life representation is made, or if the representation is less than one year, the period shall be no less than one year. If a manufactured product is damaged as a result of a violation of these standards, damage to the product is a recoverable element of damages. This subparagraph does not limit recovery if there has been damage to another building component caused by a manufactured product during the manufactured product’s useful life.

(E) This title does not apply in any action seeking recovery solely for a defect in a manufactured product located within or adjacent to a structure.

(4) Heating, if any, shall be installed so as to be capable of maintaining a room temperature of 70 degrees Fahrenheit at a point three feet above the floor in any living space.

(5) Living space air-conditioning, if any, shall be provided in a manner consistent with the size and efficiency design criteria specified in Title 24 of the California Code of Regulations or its successor.

(6) Attached structures shall be constructed to comply with interunit noise transmission standards set by the applicable government building codes, ordinances, or regulations in effect at the time of the original construction. If there is no applicable code, ordinance, or regulation, this paragraph does not apply. However, no action shall be brought pursuant to this paragraph more than one year from the original occupancy of the adjacent unit.

(7) Irrigation systems and drainage shall operate properly so as not to damage landscaping or other external improvements. However, no action shall be brought pursuant to this paragraph more than one year from close of escrow.

(8) Untreated wood posts shall not be installed in contact with soil so as to cause unreasonable decay to the wood based upon the finish grade at the time of original construction. However, no action shall be brought pursuant to this paragraph more than two years from close of escrow.

(9) Untreated steel fences and adjacent components shall be installed so as to prevent unreasonable corrosion. However, no action shall be brought pursuant to this paragraph more than four years from close of escrow.



(10) Paint and stains shall be applied in such a manner so as not to cause deterioration of the building surfaces for the length of time specified by the paint or stain manufacturers' representations, if any. However, no action shall be brought pursuant to this paragraph more than five years from close of escrow.

(11) Roofing materials shall be installed so as to avoid materials falling from the roof.

(12) The landscaping systems shall be installed in such a manner so as to survive for not less than one year. However, no action shall be brought pursuant to this paragraph more than two years from close of escrow.

(13) Ceramic tile and tile backing shall be installed in such a manner that the tile does not detach.

(14) Dryer ducts shall be installed and terminated pursuant to manufacturer installation requirements. However, no action shall be brought pursuant to this paragraph more than two years from close of escrow.

(15) Structures shall be constructed in such a manner so as not to impair the occupants' safety because they contain public health hazards as determined by a duly authorized public health official, health agency, or governmental entity having jurisdiction. This paragraph does not limit recovery for any damages caused by a violation of any other paragraph of this section on the grounds that the damages do not constitute a health hazard.

SEC. 2. Section 911 of the Civil Code is amended to read:

911. (a) For purposes of this title, except as provided in subdivision (b), "builder" means any entity or individual, including, but not limited to a builder, developer, general contractor, contractor, or original seller, who, at the time of sale, was also in the business of selling residential units to the public for the property that is the subject of the homeowner's claim or was in the business of building, developing, or constructing residential units for public purchase for the property that is the subject of the homeowner's claim.

(b) For the purposes of this title, "builder" does not include any entity or individual whose involvement with a residential unit that is the subject of the homeowner's claim is limited to his or her capacity as general contractor or contractor and who is not a partner, member of, subsidiary of, or otherwise similarly affiliated with the builder. For purposes of this title, these nonaffiliated



general contractors and nonaffiliated contractors shall be treated the same as subcontractors, material suppliers, individual product manufacturers, and design professionals.

SEC. 3. Section 912 of the Civil Code is amended to read:

912. A builder shall do all of the following:

(a) Within 30 days of a written request by a homeowner or his or her legal representative, the builder shall provide copies of all relevant plans, specifications, mass or rough grading plans, final soils reports, Department of Real Estate public reports, and available engineering calculations, that pertain to a homeowner's residence specifically or as part of a larger development tract. The request shall be honored if it states that it is made relative to structural, fire safety, or soils provisions of this title. However, a builder is not obligated to provide a copying service, and reasonable copying costs shall be borne by the requesting party. A builder may require that the documents be copied onsite by the requesting party, except that the homeowner may, at his or her option, use his or her own copying service, which may include an offsite copy facility that is bonded and insured. If a builder can show that the builder maintained the documents, but that they later became unavailable due to loss or destruction that was not the fault of the builder, the builder may be excused from the requirements of this subdivision, in which case the builder shall act with reasonable diligence to assist the homeowner in obtaining those documents from any applicable government authority or from the source that generated the document. However, in that case, the time limits specified by this section do not apply.

(b) At the expense of the homeowner, who may opt to use an offsite copy facility that is bonded and insured, the builder shall provide to the homeowner or his or her legal representative copies of all maintenance and preventative maintenance recommendations that pertain to his or her residence within 30 days of service of a written request for those documents. Those documents shall also be provided to the homeowner in conjunction with the initial sale of the residence.

(c) At the expense of the homeowner, who may opt to use an offsite copy facility that is bonded and insured, a builder shall provide to the homeowner or his or her legal representative copies of all manufactured products maintenance, preventive maintenance, and limited warranty information within 30 days of



a written request for those documents. These documents shall also be provided to the homeowner in conjunction with the initial sale of the residence.

(d) At the expense of the homeowner, who may opt to use an offsite copy facility that is bonded and insured, a builder shall provide to the homeowner or his or her legal representative copies of all of the builder's limited contractual warranties in accordance with this part in effect at the time of the original sale of the residence within 30 days of a written request for those documents. Those documents shall also be provided to the homeowner in conjunction with the initial sale of the residence.

(e) A builder shall maintain the name and address of an agent for notice pursuant to this chapter with the Secretary of State or, alternatively, elect to use a third party for that notice if the builder has notified the homeowner in writing of the third party's name and address, to whom claims and requests for information under this section may be mailed. The name and address of the agent for notice or third party shall be included with the original sales documentation and shall be initialed and acknowledged by the purchaser and the builder's sales representative.

This subdivision applies to instances in which a builder contracts with a third party to accept claims and act on the builder's behalf. A builder shall give actual notice to the homeowner that the builder has made such an election, and shall include the name and address of the third party.

(f) A builder shall record on title a notice of the existence of these procedures and a notice that these procedures impact the legal rights of the homeowner. This information shall also be included with the original sales documentation and shall be initialed and acknowledged by the purchaser and the builder's sales representative.

(g) A builder shall provide, with the original sales documentation, a written copy of this title, which shall be initialed and acknowledged by the purchaser and the builder's sales representative.

(h) As to any documents provided in conjunction with the original sale, the builder shall instruct the original purchaser to provide those documents to any subsequent purchaser.

(i) Any builder who fails to comply with any of these requirements within the time specified is not entitled to the



protection of this chapter, and the homeowner is released from the requirements of this chapter and may proceed with the filing of an action, in which case the remaining chapters of this part shall continue to apply to the action.

SEC. 4. Section 916 of the Civil Code is amended to read:

916. (a) If a builder elects to inspect the claimed unmet standards, the builder shall complete the initial inspection and testing within 14 days after acknowledgment of receipt of the notice of the claim, at a mutually convenient date and time. If the homeowner has retained legal representation, the inspection shall be scheduled with the legal representative's office at a mutually convenient date and time, unless the legal representative is unavailable during the relevant time periods. All costs of builder inspection and testing, including any damage caused by the builder inspection, shall be borne by the builder. The builder shall also provide written proof that the builder has liability insurance to cover any damages or injuries occurring during inspection and testing. The builder shall restore the property to its pretesting condition within 48 hours of the testing. The builder shall, upon request, allow the inspections to be observed and electronically recorded, videotaped, or photographed by the claimant or his or her legal representative.

(b) Nothing that occurs during a builder's or claimant's inspection or testing may be used or introduced as evidence to support a spoliation defense by any potential party in any subsequent litigation.

(c) If a builder deems a second inspection or testing reasonably necessary, and specifies the reasons therefor in writing within three days following the initial inspection, the builder may conduct a second inspection or testing. A second inspection or testing shall be completed within 40 days of the initial inspection or testing. All requirements concerning the initial inspection or testing shall also apply to the second inspection or testing.

(d) If the builder fails to inspect or test the property within the time specified, the claimant is released from the requirements of this section and may proceed with the filing of an action. However, the standards set forth in the other chapters of this title shall continue to apply to the action.

(e) If a builder intends to hold a subcontractor, design professional, individual product manufacturer, or material



supplier, including an insurance carrier, warranty company, or service company, responsible for its contribution to the unmet standard, the builder shall provide notice to that person or entity sufficiently in advance to allow them to attend the initial, or if requested, second inspection of any alleged unmet standard and to participate in the repair process. The claimant and his or her legal representative, if any, shall be advised in a reasonable time prior to the inspection as to the identity of all persons or entities invited to attend. This subdivision does not apply to the builder's insurance company. Except with respect to any claims involving a repair actually conducted under this chapter, nothing in this subdivision shall be construed to relieve a subcontractor, design professional, individual product manufacturer, or material supplier of any liability under an action brought by a claimant.

SEC. 5. Section 936 of the Civil Code is amended to read:

936. Each and every provision of the other chapters of this title apply to general contractors, subcontractors, material suppliers, individual product manufacturers, and design professionals to the extent that the general contractors, subcontractors, material suppliers, individual product manufacturers, and design professionals caused, in whole or in part, a violation of a particular standard as the result of a negligent act or omission or a breach of contract. In addition to the affirmative defenses set forth in Section 945.5, a general contractor, subcontractor, material supplier, design professional, individual product manufacturer, or other entity may also offer common law and contractual defenses as applicable to any claimed violation of a standard. All actions by a claimant or builder to enforce an express contract, or any provision thereof, against a general contractor, subcontractor, material supplier, individual product manufacturer, or design professional is preserved. Nothing in this title modifies the law pertaining to joint and several liability for builders, general contractors, subcontractors, material suppliers, individual product manufacturer, and design professionals that contribute to any specific violation of this title. However, the negligence standard in this section does not apply to any general contractor, subcontractor, material supplier, individual product manufacturer, or design professional with respect to claims for which strict liability would apply.

SEC. 6. Section 938 of the Civil Code is amended to read:



938. This title applies only to new residential units where the purchase agreement with the buyer was signed by the seller on or after January 1, 2003.

SEC. 7. Section 941 of the Civil Code is amended to read:

941. (a) Except as specifically set forth in this title, no action may be brought to recover under this title more than 10 years after substantial completion of the improvement but not later than the date of recordation of a valid notice of completion.

(b) As used in this section, “action” includes an action for indemnity brought against a person arising out of that person’s performance or furnishing of services or materials referred to in this title, except that a cross-complaint for indemnity may be filed pursuant to subdivision (b) of Section 428.10 of the Code of Civil Procedure in an action which has been brought within the time period set forth in subdivision (a).

(c) The limitation prescribed by this section may not be asserted by way of defense by any person in actual possession or the control, as owner, tenant or otherwise, of such an improvement, at the time any deficiency in the improvement constitutes the proximate cause for which it is proposed to make a claim or bring an action.

(d) Sections 337.15 and 337.1 of the Code of Civil Procedure do not apply to actions under this title.

(e) Existing statutory and decisional law regarding tolling of the statute of limitations shall apply to the time periods for filing an action or making a claim under this title, except that repairs made pursuant to Chapter 4 (commencing with Section 910), with the exception of the tolling provision contained in Section 927, do not extend the period for filing an action, or restart the time limitations contained in subdivision (a) or (b) of Section 7091 of the Business and Professions Code. If a builder arranges for a contractor to perform a repair pursuant to Chapter 4 (commencing with Section 910), as to the builder the time period for calculating the statute of limitation in subdivision (a) or (b) of Section 7091 of the Business and Professions Code shall pertain to the substantial completion of the original construction and not to the date of repairs under this title. The time limitations established by this title do not apply to any action by a claimant for a contract or express contractual provision. Causes of action and damages to which this chapter does not apply are not limited by this section.



SEC. 8. Section 942 of the Civil Code is amended and renumbered to read:

943. (a) Except as provided in this title, no other cause of action for a claim covered by this title or for damages recoverable under Section 944 is allowed. In addition to the rights under this title, this title does not apply to any action by a claimant to enforce a contract or express contractual provision, or any action for fraud, personal injury, or violation of a statute. Damages awarded for the items set forth in Section 944 in such other cause of action shall be reduced by the amounts recovered pursuant to Section 944 for violation of the standards set forth in this title.

(b) As to any claims involving a detached single-family home, the homeowner's right to the reasonable value of repairing any nonconformity is limited to the repair costs, or the diminution in current value of the home caused by the nonconformity, whichever is less, subject to the personal use exception as developed under common law.

SEC. 9. Section 942 is added to the Civil Code, to read:

942. In order to make a claim for violation of the standards set forth in Chapter 2 (commencing with Section 896), a homeowner need only demonstrate, in accordance with the applicable evidentiary standard, that the home does not meet the applicable standard, subject to the affirmative defenses set forth in Section 945.5. No further showing of causation or damages is required to meet the burden of proof regarding a violation of a standard set forth in Chapter 2 (commencing with Section 896), provided that the violation arises out of, pertains to, or is related to, the original construction.

SEC. 10. Section 945.5 of the Civil Code is amended to read:

945.5. A builder, general contractor, subcontractor, material supplier, individual product manufacturer, or design professional, under the principles of comparative fault pertaining to affirmative defenses, may be excused, in whole or in part, from any obligation, damage, loss, or liability if the builder, general contractor, subcontractor, material supplier, individual product manufacturer, or design professional, can demonstrate any of the following affirmative defenses in response to a claimed violation:

(a) To the extent it is caused by an unforeseen act of nature which caused the structure not to meet the standard. For purposes of this section an "unforeseen act of nature" means a weather



condition, earthquake, or manmade event such as war, terrorism, or vandalism, in excess of the design criteria expressed by the applicable building codes, regulations, and ordinances in effect at the time of original construction.

(b) To the extent it is caused by a homeowner's unreasonable failure to minimize or prevent those damages in a timely manner, including the failure of the homeowner to allow reasonable and timely access for inspections and repairs under this title. This includes the failure to give timely notice to the builder after discovery of a violation, but does not include damages due to the untimely or inadequate response of a builder to the homeowner's claim.

(c) To the extent it is caused by the homeowner or his or her agent, employee, general contractor, subcontractor, independent contractor, or consultant by virtue of their failure to follow the builder's or manufacturer's recommendations, or commonly accepted homeowner maintenance obligations. In order to rely upon this defense as it relates to a builder's recommended maintenance schedule, the builder shall show that the homeowner had written notice of these schedules and recommendations and that the recommendations and schedules were reasonable at the time they were issued.

(d) To the extent it is caused by the homeowner or his or her agent's or an independent third party's alterations, ordinary wear and tear, misuse, abuse, or neglect, or by the structure's use for something other than its intended purpose.

(e) To the extent that the time period for filing actions bars the claimed violation.

(f) As to a particular violation for which the builder has obtained a valid release.

(g) To the extent that the builder's repair was successful in correcting the particular violation of the applicable standard.

(h) As to any causes of action to which this statute does not apply, all applicable affirmative defenses are preserved.

SEC. 11. It is the intent of the Legislature that the Department of Insurance conduct a study in consultation with the representatives of the labor, insurance, and building industries, to determine whether lower rates are justified for comprehensive general liability insurance policies with respect to construction defect claims arising out of projects built with apprentices enrolled



in an apprenticeship program approved by the California Apprenticeship Council.



Approved _____, 2003

Governor

