

**Assembly Bill No. 1303**

\_\_\_\_\_

Passed the Assembly    September 2, 2003

\_\_\_\_\_  
*Chief Clerk of the Assembly*

\_\_\_\_\_

Passed the Senate    August 27, 2003

\_\_\_\_\_  
*Secretary of the Senate*

\_\_\_\_\_

This bill was received by the Governor this \_\_\_\_\_ day of  
\_\_\_\_\_, 2003, at \_\_\_\_\_ o'clock \_\_M.

\_\_\_\_\_  
*Private Secretary of the Governor*



## CHAPTER \_\_\_\_\_

An act to amend Section 5201 of the Vehicle Code, relating to vehicles.

## LEGISLATIVE COUNSEL'S DIGEST

AB 1303, Simitian. Vehicles: license plates: display: persons with disabilities.

Existing law requires vehicle license plates to be securely fastened at all times to the vehicle for which they are issued so as to prevent the plates from swinging, to be mounted in a position so as to be clearly visible, and to be maintained in a condition so as to be clearly legible, except as specified.

This bill would provide that it is not a violation of this requirement if the reading or recognition of a rear license plate is obstructed or impaired by a wheelchair lift or wheelchair carrier, the license plate is a special identification license plate, as specified, or the vehicle displays a distinguishing placard, as specified, and the operator displays on the vehicle's rear window a specified decal, designed and issued by the Department of Motor Vehicles.

The bill would require the Department of Motor Vehicles, in consultation with the Department of the California Highway Patrol, to determine where on the rear window the decal shall be displayed. The bill would also require the Department of Motor Vehicles to adopt regulations governing procedures for accepting and approving applications for the decals and for issuing the decals.

This bill incorporates additional changes to Section 5201 of the Vehicle Code proposed by SB 315, to become operative only if SB 315 and this bill are both chaptered and become effective on or before January 1, 2004, and this bill is chaptered last.

*The people of the State of California do enact as follows:*

SECTION 1. Section 5201 of the Vehicle Code is amended to read:

5201. License plates shall at all times be securely fastened to the vehicle for which they are issued so as to prevent the plates



from swinging, shall be mounted in a position so as to be clearly visible, and shall be maintained in a condition so as to be clearly legible. The rear license plate shall be mounted not less than 12 inches nor more than 60 inches from the ground, and the front license plate shall be mounted not more than 60 inches from the ground, except as follows:

(a) The rear license plate on a tow truck may be mounted on the left-hand side of the mast assembly at the rear of the cab of the vehicle, not less than 12 inches nor more than 90 inches from the ground.

(b) The rear license plate on a tank vehicle hauling hazardous waste, as defined in Section 25117 of the Health and Safety Code, or asphalt material may be mounted not less than 12 inches nor more than 90 inches from the ground.

(c) The rear license plate on a truck tractor may be mounted at the rear of the cab of the vehicle, not less than 12 inches nor more than 90 inches from the ground.

(d) The rear license plate of a vehicle designed by the manufacturer for the collection and transportation of garbage, rubbish, or refuse that is used regularly for the collection and transportation of that material by any person or governmental entity employed to collect, transport, and dispose of garbage, rubbish, or refuse may be mounted not less than 12 inches nor more than 90 inches from the ground.

(e) No covering may be used on license plates except as follows:

(1) The installation of a cover over a lawfully parked vehicle to protect it from the weather and the elements does not constitute a violation of this subdivision. Any peace officer or other regularly salaried employee of a public agency designated to enforce laws, including local ordinances, relating to the parking of vehicles may temporarily remove so much of the cover as is necessary to inspect any license plate, tab, or indicia of registration on a vehicle.

(2) The installation of a license plate security cover is not a violation of this subdivision if the device does not obstruct or impair the recognition of the license plate information, including, but not limited to, the issuing state, license plate number, and registration tabs, and the cover is limited to the area directly over the top of the registration tabs. No portion of a license plate security cover shall rest over the license plate number.



(f) No casing, shield, frame, border, or other device that obstructs or impairs the reading or recognition of a license plate by a remote emission sensing device, as specified in Sections 44081 and 44081.6 of the Health and Safety Code, shall be installed on, or affixed to, a vehicle.

(g) (1) It is the Legislature's intent that an accommodation be made to persons with disabilities and to those persons who regularly transport persons with disabilities, to allow the removal and relocation of wheelchair lifts and wheelchair carriers without the necessity of removing and reattaching the vehicle's rear license plate. Therefore, it is not a violation of this section if the reading or recognition of a rear license plate is obstructed or impaired by a wheelchair lift or wheelchair carrier and all of the following requirements are met:

(A) The owner of the vehicle has been issued a special identification license plate pursuant to Section 5007, or the person using the wheelchair that is being carried on the vehicle has been issued a distinguishing placard under Section 22511.55 .

(B) (i) The operator of the vehicle displays a decal, designed and issued by the department, that contains the license plate number assigned to the vehicle transporting the wheelchair.

(ii) The decal is displayed on the rear window of the vehicle, in a location determined by the department, in consultation with the Department of the California Highway Patrol, so as to be clearly visible to law enforcement.

(2) Notwithstanding any other provision of law, if a decal is displayed pursuant to this subdivision, the requirements of this code that require the illumination of the license plate and the license plate number do not apply.

(3) The department shall adopt regulations governing the procedures for accepting and approving applications for decals, and issuing decals, authorized by this subdivision.

(4) This subdivision does not apply to a front license plate.

SEC. 2. Section 5201 of the Vehicle Code is amended to read:

5201. License plates shall at all times be securely fastened to the vehicle for which they are issued so as to prevent the plates from swinging, shall be mounted in a position so as to be clearly visible, and shall be maintained in a condition so as to be clearly legible. The rear license plate shall be mounted not less than 12 inches nor more than 60 inches from the ground, and the front



license plate shall be mounted not more than 60 inches from the ground, except as follows:

(a) The rear license plate on a tow truck may be mounted on the left-hand side of the mast assembly at the rear of the cab of the vehicle, not less than 12 inches nor more than 90 inches from the ground.

(b) The rear license plate on a tank vehicle hauling hazardous waste, as defined in Section 25117 of the Health and Safety Code, or asphalt material may be mounted not less than 12 inches nor more than 90 inches from the ground.

(c) The rear license plate on a truck tractor may be mounted at the rear of the cab of the vehicle, not less than 12 inches nor more than 90 inches from the ground.

(d) The rear license plate of a vehicle designed by the manufacturer for the collection and transportation of garbage, rubbish, or refuse that is used regularly for the collection and transportation of that material by any person or governmental entity employed to collect, transport, and dispose of garbage, rubbish, or refuse may be mounted not less than 12 inches nor more than 90 inches from the ground.

(e) The rear license plate on a two-axle livestock trailer may be mounted 12 inches or more, but not more than 90 inches, from the ground.

(f) No covering may be used on license plates except as follows:

(1) The installation of a cover over a lawfully parked vehicle to protect it from the weather and the elements does not constitute a violation of this subdivision. Any peace officer or other regularly salaried employee of a public agency designated to enforce laws, including local ordinances, relating to the parking of vehicles may temporarily remove so much of the cover as is necessary to inspect any license plate, tab, or indicia of registration on a vehicle.

(2) The installation of a license plate security cover is not a violation of this subdivision if the device does not obstruct or impair the recognition of the license plate information, including, but not limited to, the issuing state, license plate number, and registration tabs, and the cover is limited to the area directly over the top of the registration tabs. No portion of a license plate security cover shall rest over the license plate number.



(g) No casing, shield, frame, border, or other device that obstructs or impairs the reading or recognition of a license plate by a remote emission sensing device, as specified in Sections 44081 and 44081.6 of the Health and Safety Code, shall be installed on, or affixed to, a vehicle.

(h) (1) It is the Legislature's intent that an accommodation be made to persons with disabilities and to those persons who regularly transport persons with disabilities, to allow the removal and relocation of wheelchair lifts and wheelchair carriers without the necessity of removing and reattaching the vehicle's rear license plate. Therefore, it is not a violation of this section if the reading or recognition of a rear license plate is obstructed or impaired by a wheelchair lift or wheelchair carrier and all of the following requirements are met:

(A) The owner of the vehicle has been issued a special identification license plate pursuant to Section 5007, or the person using the wheelchair that is carried on the vehicle has been issued a distinguishing placard under Section 12511.55.

(B) (i) The operator of the vehicle displays a decal, designed and issued by the department, that contains the license plate number assigned to the vehicle transporting the wheelchair.

(ii) The decal is displayed on the rear window of the vehicle, in a location determined by the department, in consultation with the Department of the California Highway Patrol, so as to be clearly visible to law enforcement.

(2) Notwithstanding any other provision of law, if a decal is displayed pursuant to this subdivision, the requirements of this code that require the illumination of the license plate and the license plate number do not apply.

(3) The department shall adopt regulations governing the procedures for accepting and approving applications for decals, and issuing decals, authorized by this subdivision.

(4) This subdivision does not apply to a front license plate.

SEC. 3. Section 2 of this bill incorporates amendments to Section 5201 of the Vehicle Code proposed by both this bill and SB 315. It shall only become operative if (1) both bills are enacted and become effective on or before January 1, 2004, (2) each bill amends Section 5201 of the Vehicle Code, and (3) this bill is enacted after SB 315, in which case Section 1 of this bill shall not become operative.



Approved \_\_\_\_\_, 2003

\_\_\_\_\_  
*Governor*

