

Senate Bill No. 469

Passed the Senate July 3, 2014

Secretary of the Senate

Passed the Assembly June 23, 2014

Chief Clerk of the Assembly

This bill was received by the Governor this _____ day
of _____, 2014, at _____ o'clock ____M.

Private Secretary of the Governor

CHAPTER _____

An act to amend Section 35110 of, and to add Section 35405 to, the Vehicle Code, relating to vehicles.

LEGISLATIVE COUNSEL'S DIGEST

SB 469, Corbett. Vehicles: aerodynamic vehicles.

Existing law limits the length of vehicles and combinations of vehicles coupled together. Existing law permits door handles, hinges, cable cinchers, chain binders, aerodynamic devices, and holders for the display of placards warning of hazardous materials to extend 3 inches on each side of the vehicle. Under existing law, any extension or device used to increase the carrying capacity of a vehicle is generally included in measuring the length of a vehicle, subject to certain exceptions.

This bill would also permit a tarping system, as defined, and all nonproperty carrying devices or components to extend 3 inches on each side of the vehicle, as specified. The bill would exclude an aerodynamic device, as defined, that extends no more than 5 feet beyond the rear of a vehicle from the calculation of a vehicle's length if the device meets specified conditions, including that the device does not obscure tail lamps, turn signals, marker lamps, identification lamps, or any other required safety devices.

The people of the State of California do enact as follows:

SECTION 1. Section 35110 of the Vehicle Code is amended to read:

35110. (a) Door handles, hinges, cable cinchers, chain binders, aerodynamic devices, holders for the display of placards warning of hazardous materials, and a tarping system and all nonproperty carrying devices or components thereof, may extend three inches on each side of the vehicle.

(b) For purposes of this section, "aerodynamic device" means a device that uses technologies that minimize drag and improve airflow over an entire tractor-trailer vehicle. These include gap fairings that reduce turbulence between the tractor and trailer, side skirts that minimize wind under the trailer, and rear fairings that

reduce turbulence and pressure drop at the rear of the trailer, provided that these devices shall not adversely impact the vehicle's swept width and turning characteristics and that the primary purpose of the device is not for advertising.

(c) (1) For purposes of this section, "a tarping system" means a movable device used to enclose the cargo area of flatbed semitrailers or trailers.

(2) Subdivision (a) applies to all component parts of a tarping system, including the following:

(A) The transverse structure at the front of the vehicle to which the sliding walls and roof of the tarp mechanism are attached, provided the structure is not also intended or designed to comply with Section 393.106 of Title 49 of the Code of Federal Regulations. The transverse structure may be up to 108 inches wide if properly centered so that neither side extends more than three inches beyond the structural edge of the vehicle.

(B) The side rails running the length of the vehicle.

(C) The rear doors, provided the only function of the rear doors is to seal the cargo area and anchor the sliding walls and roof.

(D) The "wings" designed to close the gap between a headerboard designed to comply with Section 393.106 of Title 49 of the Code of Federal Regulations and the movable walls and roof of a tarping system, provided they are add-on pieces designed to bear only the load of the tarping system itself and are not integral parts of the load-bearing headerboard structure.

(d) For purposes of this section, a "headerboard designed to comply with Section 393.106 of Title 49 of the Code of Federal Regulations" is load bearing and does not exceed 102 inches in width.

SEC. 2. Section 35405 is added to the Vehicle Code, to read:

35405. (a) An aerodynamic device that extends no more than five feet beyond the rear of a vehicle shall not be included in measuring the length of the vehicle or combination of vehicles, if both of the following conditions are met:

(1) The device does not have the strength, rigidity, or mass to damage a vehicle, or injure a passenger in a vehicle, that strikes the vehicle equipped with the device from the rear.

(2) The device does not obscure tail lamps, turn signals, marker lamps, identification lamps, or any other required safety devices,

including, but not limited to, hazardous materials placards or conspicuity markings.

(b) For purposes of this section, “aerodynamic device” has the same meaning as defined in Section 35110.

Approved _____, 2014

Governor